## This Page Is Inserted by IFW Operations and is not a part of the Official Record

#### **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.


Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

### IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

The Effect of He )n on Thrombin Digestion of Egg?



20 u/ml heparin E

1 2 3 4 5 6 7 8 9 10 11 12 13




Fig. 1

2500 Incombin. 50 Heparin. 10 Ug/ml ECGF at 37oC




Fig. 2




Fig. 3




Fig. 4

•

.




Fig. 5



Fig. 6

SN, 10/17, Fy unglal, b-T 2Us, 24h, HUV-E(s, 100X.




Fig. 7



Fig. 8

1916, SN 24h 10 cells, Fn (10, 19/cm2)




Fig. 9




Fig. 10






Fig. 11







OD

067)





<u>.</u>:




Fig. 14






Fig. 15








NTRAMUSCULAR IMPLANTS

# Radio-opacity Data (DBM-FG,30 mg/ml)



Individual calvarium specimens



Fig. 19A




Fig. 19B

Fig. 20




Fig. 21




Fig. 22





Fig. 23








Fig. 25




Fig. 26




Fig. 27

## Delivery of AMO, CIP, and MET From Fibrin Glue




Fig. 28




Fig. 29




Fig. 30




Fig. 31A




Fig. 31B




Fig. 31C





Fig. 32



(YASSA TTM) MNOTE TA GO

IIII FS Alone
IIIII FS + ETHANOL

□ BUFFER

FS+Taxol Suspension

■ FS+Taxol Solution (in ETHANOL)

Fig. 33




Fig. 34




Fig. 35




Fig. 36




Fig. 37

`...

No. OF CELLS/H.P.F; 400X




Fig. 38




Fig. 39




Fig. 40




Fig. 41





"Disappearing" gel containing Thrombin ± Supplement(s)

"Disappearing" gel containing Fibrinogen ± Supplement(s)

Outer covering

Plastic film separating thrombin and fibrinogen containing gels Plastic film covering fibrinogen containing gels